

BRAND PRODUCT MANUAL

2020



Brand Story

Connettick is a compound word made of 'Connect' connecting between People and Technology and 'Stick' referring as useful tools. Since it was launched in 2016, Connettick has provided a wide range of practical and worthy new products such as mobile & computer accessories, portable appliances and so on. Connettick enriches your smart gadgets connecting to your life. Let's Connettick!

Mission

Connettick wants to provide a wide range of products that connect to our lives. In another word, we pursue user-friendliness and environment-friendliness.

Core Value

Always Stay in your life

Connettick always stays in your better life

Being the best

Connettick offers premium products.

Customer priority

Connettick provides products and services to satisfy customers.
















Different Thoughts

Connettick values different thoughts from you.

REliability

Connettick values the trust of customers and partners.

Table of Contents

	USB-C 11 in 1 Docking Station	04		Auto Reel Cable	20
	Micro to Apple 8pin (Silver) /TYPE-C (Grey) Adapter	06		Free B Bluetooth Earbuds	22
	Smart Stand Cable	08		Magnetic Power ON/OFF Bluetooth Earphone	24
	Mini Bear LED 3 in 1 Cable	10		Clip Wireless Mini Fan	26
	Mini Bear Reel 3 in 1 Cable	12		Mashmallow Humidifier	28
	1M Cable	14		Metal Car Charger QC 3.0	30
	2M Cable	16		Automatic Induction Fast Wireless Car Charger	32
	3 in 1 Multi-Cable	18			

USB-C 11 in 1 Docking Station

USB Type-C




- Laptops, Cell Phones & Tablets Stand
- The sleek design with solid aluminium
- Connecting up to three displays at once

USB Type-C



Specification



Model	CFH-119GY	AUX	3.5mm Audio Output
Size/Weight	260*89.9*22.1(mm)/351.5g	Ethernet	Max 10/100/1000 Mbps
KC Number	R-R-iLu-CFH-119GY	TYPE-C (Female)	PD/100W (20V/5A)
HDMI Resolution	4K/30Hz	Power Consumption	Max 5W
DP Resolution	4K/30Hz	System Compatibility	Windows 10/8.1/8/7/XP, Max OSX 10.6 or over
VGA Resolution	1920*1080/60Hz	Operating Temperature	0°C to + 70°C
USB 3.0	Max 5Gpb/BC 1.2 Max 5V 1.5A Quick Charge	Storage Temperature	-10°C to + 55°C
USB 2.0	Data Transfer Max 480Mbps		
SD & Micro SD	Compatibility with SD 3.0 & Data Transfer Max 100 Mbps		



02

Micro to APPLE 8Pin (Silver)/TYPE-C (Grey) Adapter

Connector Converter



- Support the Voltage Capabilities of 9V for Quick Charge
- Support Fast Data Transfer at 480mb/s
- The Diamond Cutting Design with Solid Aluminium Alloy Housing



Specification



Model	CMC-01GY, CML-01SI
TYPE	Micro to TYPE-C / Micro to Apple 8pin
Size/Weight	9.8*25*5.8(mm) / Approximately 2g
Material	Aluminium Alloy Housing



03

Smart Stand Cable

Micro 5Pin / TYPE-C / Apple 8Pin



Micro 5Pin / TYPE-C / Apple 8Pin




- Smart Cell Phones Stand
- Freely Adjust Cable Angle
- Flexible and Excellent Shock Absorption Cable with Soft TPE Material

Specification



Model	CAS-718 (TYPE-C) / CAS-818 (APPLE 8Pin)
TYPE & Color	Micro 5Pin (Black) / TYPE-C (RD,BK,MT) / APPLE 8Pin (RD,BK,MT)
Size/Weight	120cm (4ft) / Approximately 15g
Material	TPE
Charging Speed	Max 2.1A

USB micro 5pin >>
only available in black color



04

Mini Bear LED

3 in 1 Cable

Micro 5Pin / TYPE-C / Apple 8Pin



Micro 5Pin / TYPE-C / Apple 8Pin



- Simultaneously charge three devices with 3 in 1 USB Cable
- Blue LED light indicates that a device connected is being charged
- Familiar Mini Bear shape and Favourable colors

Specification



Model	CAL-318 BK/RD/PK/MT
Colors	Black / Red/ Pink / Mint (Teal)
Size/Weight	25cm (0.8ft) / Approximately 22.5g
Material	Aluminium Alloy, TPE, ABS
Charging Speed	Max 2.4A



05

Mini Bear Reel

3 in 1 Cable

Micro 5Pin / TYPE-C / Apple 8Pin



- Simultaneously charge three devices with 3 in 1 USB Cable
- 5-Levels Adjustable Cable Length
- Familiar Mini Bear shape with favourable colors

Micro 5Pin / TYPE-C / Apple 8Pin



Specification



Model	CAR-318 BK/RD/PK/MT
Colors	Black / Red / Pink / Mint (Teal)
Size/Weight	103cm (3.4ft) / Approximately 44g
Material	Aluminium Alloy, TPE, ABS
Charging Speed	Max 2.4A



1M Cable 06

Micro 5Pin / TYPE-C / Apple 8Pin



- Soft texture and Premium nylon material
- Highly flexible silicon strap to neatly organize cable
- Support the Voltage Capabilities of 9V and USB PC 2.0 / 3.0 for Quick Charge

Micro 5Pin / TYPE-C / Apple 8Pin

Specification



1M long enough cable length to be used in various occasions.

Model	CCC-11BK, CCL-11BK, CCM-11BK
Colors	Black
TYPE	TYPE-C / Apple 8pin / Micro 5pin
Size/Weight	100cm (3.3ft) / Approximately 19g
Material	Aluminium Alloy, TPE, Nylon
Charging Speed	Max 2.4A
Data Transfer Rate	480mb/s



2M Cable 07

TYPE-C / Apple 8Pin

TYPE-C / Apple 8Pin



- Soft texture and Premium nylon material
- Highly flexible silicon strap to neatly organize cable
- Support the Voltage Capabilities of 9V and USB PC 2.0 /3.0 for Quick Charge
- 2M long thick cable to be used in various events both indoors and outdoors

Specification



Ideal cable length to be used anywhere and anytime

Model	CCC-21BK, CCL-21BK
Colors	Black
TYPE	TYPE-C / Apple 8pin
Size/Weight	200cm (6.6ft) / Approximately 50g
Material	Aluminium Alloy, TPE, Nylon
Charging Speed	Max 2.4A
Data Transfer Rate	480mb/s



3 in 1

Multi - Cable

Micro 5Pin / TYPE-C / Apple 8Pin



Micro 5Pin / TYPE-C / Apple 8Pin



- Soft texture and Premium nylon material
- Highly flexible silicon strap to organize cables
- Simultaneously charge three devices with 3 in 1 USB Cable

Specification



If you have this, you need nothing else.

Model	CC3-11BK, CC3-11RD
Colors	Black / Red
Size/Weight	120cm (4ft) / Approximately 36g
Material	Aluminium Alloy, TPE, Nylon
Charging Speed	Max 2.4A
Data Transfer Rate	480mb/s



Auto Reel Cable

Micro 5Pin / TYPE-C / Apple 8Pin



Micro 5Pin / TYPE-C / Apple 8Pin



- Reversible USB & Reversible micro 5pin
- Auto-reel to be tidy
- Minimise its size with the reel function

Specification



Model	CAC-11GY, BK / CAL-11GY, BK / CAM-11GY, BK
Colors	Black / Grey
Size/Weight	Max. 100cm (3.3ft) / Approximately 15g
Material	Aluminium Alloy, Nylon
Charging Speed	Max 2.4A / Apple 8pin & Micro 5pin Max. 2.1A
Data Transfer Rate	480mb/s



10

Free B

Bluetooth Earbuds

Free B True Wireless Stereo Bluetooth Earphone

•



- Durability : the charging case is shock absorbing, effectively reducing possible damages.
- LED indication shows the remaining battery capacity
- 4 hours playtime, up to 16 hours.

Free B True Wireless Stereo Bluetooth Earphone



Specification



Model	CFT-548BK
Colors	Black
Bluetooth	Ver. 5.0
Bluetooth Profile	Handsfree, A2DP / AVRCP
Optimal Operating Range	Max 10M
Waterproof level	IPX4
Impedence	320hm
Frequency Response	20Hz - 20KHz



Earbuds	
Playtime	4 hours
Input	DC 5V / 50mA
Charging time	Approximately 2 hours
Size/Weight	25.6*15.4*14.4(mm) / 8g
Battery Capacity	50mAh

Earbuds Charging Case	
Charging time	2 hours
Output	DC 5V / 0.7A
Size/Weight	89*55*46.5(mm) / 55g
Battery Capacity	500mAh

Magnetic Power ON/OFF

Bluetooth Earphone

Wireless Bluetooth Earphone



- Magnetic Earphone turns on when separated and turns off when put back together.
- Using the Volume button as a Remote Control of Selfie Camera

Specification



Aluminium Housing

What's Included

Ear tips
(L/M/S)Fabric
PouchFixing
ClipUSB Micro
Cable

Press '+' Button twice to take
a pic with your phone.

Press  for 5 second
to pair with your device

Model	CBT-01
Colors	Black / Red
Bluetooth	Ver. 4.2
Bluetooth Profile	Handsfree, A2DP / AVRCP
Optimal Operating Range	Max 10M
Battery	3.7V, 55mAh
Size/Weight	65.5(cm) / 13.4g
Playtime	Max 4 hours
Charging time	Approximately 2 hours
Charging Port	Micro 5pin
Input Voltage	DC 5V, 40mAh



12 Clip Wireless Mini Fan

Mini USB Rechargeable Fan



- Clipping on anywhere
- Easy disassemble to clean it inside
- Adjustable Angle in 360 degree
- Wireless and Portable for Max 6 hours

Mini USB Rechargeable Fan



Specification



Model	CMF-329
Colors	Gray / Pink / Mint (Teal) / Charcoal
Size/Weight	129.6*139*157.8 (mm) / Approximately 298g
Consumption Voltage	Max 4V
Input	DC 5V/0.8A (MAX)
Battery	Li-ion / 2000mAh
Full - Charge time	Approximately 3.5 hours
Usage time	2~6 hours depends on the wind speed



The Safety Net is an extra item.



13

Marshmallow Humidifier

Moisturize the air around you



Moisturize the air around you



- 2 different types of lights
- 2 different Mist Levels
- Automatic switch off when running out of the water

Moisturize the air around you

Specification



The humidifier filter is an extra item.

Model	CUH-01 WH/PK
Colors	White/Pink
Size/Weight	160*83(mm) / Approximately 192g
Input	DC 5-0.5A
Max Output	2.0W
Working Noise	20-40dB
Water Tank Capacity	250mL
Water Usage	35mL/an hour



Metal Car Charger

QC 3.0

USB Car Charger



- Support Dual Quick Charge of QC 3.0
- Support Each USB Charging Port Max. 18W (Total 36W) High Output without decreasing the speed
- Soft White Mood lighting

USB Car Charger



Specification



Dual Port QC 3.0

Model	CCA-01BK
Colors	Black
Size/Weight	27*70(mm) / Approximately 36g
Output	QC 3.0 DC 3-6V/3A, DC 6-9V/2A, DC 0-12V/1.5A
Input	DC 12V-24V



Automatic Induction Fast Wireless Car Charger

Qi Wireless Charging Phone Holder



Qi Wireless Charging Phone Holder



- Qi Certified proves its superior safety and compatibility with all Qi-enabled phones.
- Dual LED Smart Touch Buttons auto-clamps and releases your phone.
- Only detects digital signals from smart devices.

Specification



Model	CMW-108BK
Colors	Black
Size/Weight	126*72.5(mm) / Approximately 120g
Output	10W/7.5W/5W
Input	DC 5V/2A, DC 9V/1.67A



What's Included



The Body



Air Vent
Phone Holder



Phone Mount
with Gel pad



USB
TYPE-C
Cable



User
Manual

Thank you for reading.



Seoul Office

🏠 38, Jandari road 7-gil, Mapo-gu,
Seoul, Republic of Korea

☎ +82 (0)2-333-7252

🖨 +82 (0)2-3144-7220

🌐 www.cnspower.co.kr/en
www.connettick.co.kr
www.amazon.com/shops/connettick

📘 <https://www.facebook.com/cnspower>

Paju Office

🏠 78-47, Unjeong road, Paju city,
Gyeonggi-do, Republic of Korea

☎ +82 (0)31-904-7220